

IN THE CLAIMS:

1. (canceled)

2. (canceled)

3. (canceled)

4. (currently amended) A razor blade holder according to claim ~~3~~ 19 wherein the at least one razor blade comprises a plurality of razor blades each having a cutting edge, the opening of said receptacle having a bottom shaped and sized to closely and adjacently fit the cutting edge of the plurality of razor blades.

5. (canceled)

6. (canceled)

7. (canceled)

8. (canceled)

9. (canceled)

10. (currently amended) A razor blade holder according to claim 1 9 wherein said back panel has at least one fastening holes.

11. (canceled)

12. (canceled)

13. (currently amended) A razor blade holder according to claim 1 9 wherein said receptacle comprises:

a hollow body; and

a front wall connected to said hollow body, said front wall upwardly and outwardly extending in front of said hollow body.

14. (currently amended) A razor blade holder according to claim 13 wherein said hollow body has an overhanging face slanted to overhang said front wall.

15. (previously presented) A razor blade holder according to claim 13 wherein said hollow body has a parallelepiped cavity.

16. (previously presented) A razor blade holder according to claim 15 wherein said parallelepiped cavity is open and sized to hold spare razor blades.

17. (canceled)

18. (canceled)

19. (original) A razor blade holder adapted to attach to structure at a site in order to provide blade storage and accessibility, comprising:

a receptacle sized to hold at least one razor blade and to keep exposed and accessible an upper edge thereof, said receptacle having a downwardly converging opening with a forward face and a higher rear face for receiving the razor blade, said receptacle being tilted to allow the razor blade to freely project outwardly, the rear face of the opening being marked with a reminder message; and

a shelf extending back from the opening of said receptacle to establish clearance for finger access behind the opening of said receptacle, said receptacle including:

an adhesively backed back panel connected to said shelf and adapted to be attached to said structure, said back panel extending to a higher elevation than said opening, said back panel being marked in front with a commercial message.